



ZAB POSTGRADUATE PARAMEDICAL INSTITUTE DAURANPUR PESHAWAR

Ph# 091-9331179 Fax# 091-9331577 www.zabpgpi.kp.edu.pk / pgpipeshawar@phsa.edu.pk



DRAFT TECHNICAL EVALUATION REPORT

FOR THE PROCUREMENT OF MEDICAL LAB EQUIPMENT, TEACHING AID & IT EQUIPMENTS FOR
ESTABLISHMENT OF COMPUTER LABS FOR BS PROGRAM FOR THE YEAR 2024-25

This is for information of all the concerned to please note in the public interest that:

1. Reference your bid submitted on subject cited above which was opened on 10th September 2024.
2. The process of Technical Evaluation has been completed and this Draft Technical Evaluation Report is hereby shared / announced as a pre-requisite of the procurement process under KPPRA Rule 45.
3. The Draft Technical Evaluation Report is to serve the purpose of ensuring more transparency and equity in the procurement process by providing equal opportunities to all concerned bidders to have access to information related to their bids and fair competition and
4. This list is being shared to eliminate the possibility of any error in terms of figures or words related to quoted items in the bids; and
5. It is stressed to please note that this list is in no way a final document to be used as an evidence or argument for selection of products for rate contracting; and
6. All possible efforts have been made to reduce human errors and omissions, but still inadvertent errors and omissions may possibly be expected in this list. All the bidders participating in this bidding competition are expected and requested to thoroughly examine this document and point out any error or omission in terms of quoted items, names, strength, quantity, total marks obtained etc. of products or any other details which have wrongly been entered into this as human error.
7. Any feedback related to errors and omissions must reach the office of Principal Zulfiqar Ali Bhutto Postgraduate Paramedical Institute (ZAB PGPI) Doranpur Peshawar not later than 05:00 PM on 25th September 2024 (Wednesday), in written form duly signed and stamped by the responsible relevant person of the firm, and email in soft on pgpipeshawar@phsa.edu.pk or visit the office of the undersigned for personal hearing on 26th September 2024 (Thursday) to record their observation, grievances in presence of Procurement Committee ZAB PGPI Peshawar constituted to fulfil basic needs for commencement of BS Programs at ZAB PGPI Peshawar.
8. Grievance Redressal Committee/s for observation/ grievances/ reservation on Technical Evaluation Report will redress all reservation/ appeals/ observation and their decision will be final. In order to promote fairness and transparency in procurement process by giving opportunity firm wise personal hearing will be conducted and changes (if any) will be incorporated accordingly in final Technical Evaluation Report.
9. All the responsive bidders shall submit their samples upto 25th September 2024 (Wednesday) from 09:00 AM to 05:00 PM in the office of the Principal ZAB PGPI Peshawar.
10. Meeting of the sample evaluation committee will be held on 26th of September 2024 (Thursday) at 02:00 PM.
11. Opening of Financial bids/envelops of the responsive bidders will be on 30th September 2024 (Monday) in the office of the Principal ZAB PGPI Peshawar.
12. Any comments, feedback etc received after the above-mentioned cut-off time and date (Para 7 & 10 above) will not be considered.

TECHNICAL EVALUATION REPORT OF COMPUTER LAB EQUIPMENTS (Establishment of Computer Lab at ZAB PGPI Peshawar)

S.No	Bidder	Item Name	30	6	2	2	Mandatory	Mandatory	Mandatory	Mandatory	10	5	2	4	3	6	TOTAL OBTAIN MARKS	REMARKS	
			Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 4, subject to the condition that main function and performance in any aspect would not be affected. More than 4 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive to the quoted item. (One mark for each deviation will be deducted).	CE certificate of the quoted item from notified body	Valid ISO 9001 Quality Management Certificate of the manufacturer.	Valid ISO 14001 Environmental Certificate of the manufacturer.	Warranty Period of three years both with spare parts and services.	Firm / bidder registration at relevant forum (SCOP/Registre of Firm / bidder, FBR).	The bidder will have to give valid proof of being manufacturer / Importer / Authorized dealer of importer.	Availability of office/workshop in Peshawar/ Rawalpindi / Islamabad.	One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head or signed and stamped from the public sector or private sector for the quoted items, supported by Company Supply order/Purchase order/ Contract agreement.	Last three years Audited Balance Sheet of the firm duly attested by Chartered Accountant. Turnover 60 million or above 5 marks/points. Turnover below 60 and above 30 million will be awarded 3 marks/points. Turnover below 30 million and above 20 million will be awarded 1 marks/points. Below 20 million no marks/points will be awarded. Note: Annual tax returns of last three financial years must be attached, otherwise, no marks shall be awarded.	The firm registration with Pakistan engineering council (MEP) in any category (Air conditioner)	Valid ISO 9001 Quality Management Certificate of the firm / bidder from PINAC accredited body.	Diploma of Associate Engineer (DAE) in electrical / electronics / biomedical / mechanical / Telecom / industrial.	Graduate Engineer with PEC Registration in electrical / electronics / biomedical / mechanical / Telecom / industrial. PEC registration card of the engineer must be submitted. (One mark for each certificate) (2 marks for each).			
S.No	Bidder	Item Name	30	6	2	2	Mandatory	Mandatory	Mandatory	Mandatory	10	5	2	4	3	6	TOTAL OBTAIN MARKS	REMARKS	
M/S Futurage																			
1	M/S Futurage	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	2	5	0	0	0	0	17	Responsive	
M/S Quick Business Solution																			
2	M/S Quick Business Solution	Desktop Computer	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
M/S AeroSoft																			
3	M/S AeroSoft	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	7	5	0	4	2	4	38	Responsive	
4	M/S AeroSoft	Sound System for classrooms	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
5	M/S AeroSoft	Multimedia Projector for classrooms	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
6	M/S AeroSoft	LED Screens for Conference Room	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
7	M/S AeroSoft	Printer	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
8	M/S AeroSoft	AC 02 Ton Split Inverter	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
M/S Opels Tech																			
9	M/S Opels Tech	Desktop Computer	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Responsive, subject to provision of detail brochure
10	M/S Opels Tech	Power Backup UPS 6000W	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Responsive, subject to provision of detail brochure
11	M/S Opels Tech	Multimedia Projector for classroom	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Responsive, subject to provision of detail brochure
12	M/S Opels Tech	LED Screens for Conference Room	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Responsive, subject to provision of detail brochure
13	M/S Opels Tech	AC 2 Ton Split Unit Inverter Type	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Responsive, subject to provision of detail brochure
M/S Medifa Enterprises																			
14	M/S Medifa Enterprises	Desktop Computer	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
15	M/S Medifa Enterprises	LED Screens for Conference Room	0	0	0	0	Yes	No	Yes	Yes	0	0	0	0	0	0	0	0	NON-Responsive 1-Authorization Nor Available
M/S Global Traders																			
16	M/S Global Traders	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	10	5	2	4	2	6	37	Responsive	
17	M/S Global Traders	Multimedia Projector for classroom	0	0	0	0	Yes	Yes	Yes	Yes	0	0	0	0	0	0	0	0	Non-Responsive as Native Resolution is less than required
18	M/S Global Traders	Sound System for classrooms	30	0	2	0	Yes	Yes	Yes	Yes	6	5	2	4	3	6	34	Responsive	
19	M/S Global Traders	Auto Motorized Projector Screen	30	0	0	0	Yes	Yes	Yes	Yes	3	5	2	4	3	6	33	Responsive	
M/S Star Tech																			
20	M/S Star Tech	Desktop Computer	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	38	Responsive	
21	M/S Star Tech	Multimedia Projector for classroom	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	38	Responsive	
22	M/S Star Tech	Auto Motorized Projector Screen	30	0	2	2	Yes	Yes	Yes	Yes	10	5	0	4	3	6	38	Responsive	
23	M/S Star Tech	LED Screens for Conference Room	0	0	0	0	No	No	No	No	1	5	0	0	0	0	0	0	Responsive
24	M/S Star Tech	Printer	30	0	2	2	Yes	Yes	Yes	Yes	5	5	0	4	3	6	37	Responsive	
25	M/S Star Tech	AC 2 Ton Split Unit Inverter Type	30	0	2	2	Yes	Yes	Yes	Yes	0	5	0	4	3	6	33	Responsive	
M/S Ideal Business Products																			
26	M/S Ideal Business Products	Desktop Computer		0	2	0	Yes	Yes	Yes	Yes		5	0	4	3	6	33	Responsive, subject to provision of detail brochure	
27	M/S Ideal Business Products	Power Backup UPS 6000W		0	0	0	Yes	Yes	Yes	Yes		5	0	4	3	6	34	Responsive	
28	M/S Ideal Business Products	Wifi Routers		0	0	0	Yes	Yes	No	Yes		5	0	4	3	6	34	Non Responsive, Authorization not Available	
29	M/S Ideal Business Products	Sound System for classrooms	30	0	0	0	Yes	Yes	Yes	Yes		5	0	4	3	6	40	Responsive,	
30	M/S Ideal Business Products	Multimedia Projector for classroom	30	0	2	2	Yes	Yes	Yes	Yes		5	0	4	3	6	33	Responsive,	
31	M/S Ideal Business Products	Auto Motorized Projector Screen		0	0	0	Yes	Yes	Yes	Yes		5	0	4	3	6	34	Responsive, subject to provision of detail brochure	
32	M/S Ideal Business Products	LED Screens for Conference Room		0	0	0	Yes	Yes	No	Yes		5	0	4	3	6	34	Non Responsive, Authorization not Available	
33	M/S Ideal Business Products	Printer	30	0	2	2	Yes	Yes	Yes	Yes		5	0	4	3	6	40	Responsive,	
34	M/S Ideal Business Products	Heavy Duty photocopier machine	30	0	2	2	Yes	Yes	Yes	Yes		5	0	4	3	6	33	Responsive,	
35	M/S Ideal Business Products	AC 2 Ton Split Unit Inverter Type		0	0	0	Yes	Yes	Yes	Yes		5	0	4	3	6	34	Responsive, subject to provision of detail brochure	

Note: Errors and omissions are accepted

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
			Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. (Excellent Sample)	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. (Good Sample)	Total compliance with specification given in statement of Requirement subject to the clearance on sample test by the Inspection Committee. (Satisfactory Sample)	Sample rejected by inspection committee or low-quality sample provided, the firm / bidder will be considered as non-responsive for the quoted item and no marks will be awarded.	Valid CE/ISO Certificate of manufacturing	One mark for each satisfactory performance certificate (verifiable) of the firm / bidder on letter head or signed and stamped from the public sector/private sector for the quoted model/manufacture. Supported by Supply order/Purchase order/contract agreement	Warranty Period of three years both with spare parts and services	The bidder will have to give valid proof of being manufacturer / distributor of manufacture	Diploma of Associate Engineer (DAE) in electrical / electronics / instrumentation / mechatronics / mechanical / industrial. DAE certificate must be submitted. (1 mark for each Engineer)	Graduate Engineer with PEC Registration in electrical / electronics / instrumentation / mechatronics / mechanical / industrial. PEC registration card of the engineer must be submitted. (02 marks for each Engineer)	Availability of office/workshop in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name.	List of related tools available at workshop. Details shall be submitted with technical bid	List of Testing and Calibration tools for the quoted items available at workshop. Details shall be submitted with technical bid	Last 3 years Audited Balance Sheet Duly attested by Chartered Accountant. Turnover 40 million or above 4 marks/points. Turnover less than 40 and above 20 million will be awarded 3 marks/points. Turnover below 20 million will be awarded 1 mark/points. Note: Annual tax returns of last three financial years must be attached, otherwise, no marks shall be awarded.	Firm / bidder registration at relevant forum (SECP/Registrar of Firm / bidder, FBR)	Valid ISO 9001 Quality Management Certificate of the firm / bidder from PNAC accredited bodies.		

S.No	Bidder	Item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
M/S Medinostic																				
1	M/S Medinostic	Ambu Bag (Peads, Adult)		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
2	M/S Medinostic	CPR Dummy (Adult)		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
3	M/S Medinostic	Human Skeleton		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
4	M/S Medinostic	Human Heart Models and Circulatory System (Teaching Heart Models)		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
5	M/S Medinostic	Human Lung Models Respiratory System Cardiopulmonary Models		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
6	M/S Medinostic	Human Skull Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
7	M/S Medinostic	Human Brain Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
8	M/S Medinostic	Digestive System Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
9	M/S Medinostic	Human Spine Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
10	M/S Medinostic	Urology Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
11	M/S Medinostic	Anatomy Set		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
12	M/S Medinostic	Anatomy Chart		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
13	M/S Medinostic	Plastic body (Torso) - Large size		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
14	M/S Medinostic	Eye Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
15	M/S Medinostic	Ear Model		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
16	M/S Medinostic	Female Pelvis		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
17	M/S Medinostic	Male Perlviz		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
18	M/S Medinostic	Knee Joint		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
19	M/S Medinostic	Ankle Joint		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
20	M/S Medinostic	Elbow joint		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
21	M/S Medinostic	Wrist joint		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
22	M/S Medinostic	Mankin		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
23	M/S Medinostic	Upper & lower limb Muscular		Marks will be awarded after sample evaluation		0	Yes	7	Yes	Yes	2	6	Yes	2	2	4	Yes	0	23	Responsive
M/S Star Tech																				
24	M/S Star Tech	Laryngo-scope		Marks will be awarded after sample evaluation		0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
25	M/S Star Tech	Glucometers		Marks will be awarded after sample evaluation		0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
26	M/S Star Tech	BP Apparatus with Stand		Marks will be awarded after sample evaluation		0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
27	M/S Star Tech	Stethoscope		Marks will be awarded after sample evaluation		0	Yes	5	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
28	M/S Star Tech	Thermometer		Marks will be awarded after sample evaluation		0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
29	M/S Star Tech	Viewer X-Ray Film		Marks will be awarded after sample evaluation		0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
30	M/S Star Tech	Lead Apron X-ray protective		Marks will be awarded after sample evaluation		0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
31	M/S Star Tech	Stainless steel box,17x7x3cm		Marks will be awarded after sample evaluation		0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
32	M/S Star Tech	Surgical scissors, straight sharp/blunt,12-14cm		Marks will be awarded after sample evaluation		0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
33	M/S Star Tech	Kocher forceps, noteeth, straight 12-14cm		Marks will be awarded after sample evaluation		0	Yes	2	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
34	M/S Star Tech	Dissecting forceps, noteeth, 12-14cm		Marks will be awarded after sample evaluation		0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
35	M/S Star Tech	Abscess/suture set		Marks will be awarded after sample evaluation		0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
36	M/S Star Tech	Stainless steel box, 22x10x5cm		Marks will be awarded after sample evaluation		0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
37	M/S Star Tech	D & C Set		Marks will be awarded after sample evaluation		0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
38	M/S Star Tech	Appendectomy Surgery Set		Marks will be awarded after sample evaluation		0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
39	M/S Star Tech	AO Basic Set		Marks will be awarded after sample evaluation		0	Yes	3	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
40	M/S Star Tech	General Instruments Set		Marks will be awarded after sample evaluation		0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive
41	M/S Star Tech	Mayo-Hegar Needle holder, 18cm		Marks will be awarded after sample evaluation		0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	24	Responsive

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
42	M/S Star Tech	Artery forceps, Halstead, noteeth,curve,12cm	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
43	M/S Star Tech	Stream Inhaler Machine	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
44	M/S Star Tech	Ambu Bag Adult	Marks will be awarded after sample evaluation			0	Yes	9	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
45	M/S Star Tech	Ambu Bag Mask	Marks will be awarded after sample evaluation			0	Yes	6	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
46	M/S Star Tech	Kidney Tray	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
47	M/S Star Tech	Dressing Drum	Marks will be awarded after sample evaluation			0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
48	M/S Star Tech	Emergency Tray	Marks will be awarded after sample evaluation			0	Yes	5	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
49	M/S Star Tech	Oxygen flow meter	Marks will be awarded after sample evaluation			0	Yes	4	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
50	M/S Star Tech	Hemocytometer	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
51	M/S Star Tech	ESR tubes and stands	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
52	M/S Star Tech	Automatic pipette 10 ul fixed	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
53	M/S Star Tech	Automatic pipette 100 ul fixed	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
54	M/S Star Tech	Automatic pipette 200 and 1000 ul fixed	Marks will be awarded after sample evaluation			0	Yes	0	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
55	M/S Star Tech	Digital Balance (0.1 g-10 g, Gram to kg)	Marks will be awarded after sample evaluation			0	Yes	2	Yes	Yes	2	6	Yes	2	2	4	Yes	5	30	Responsive
56	M/S Star Tech	Baby Weighting Machine	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
M/S Mercy Enterprises																				
57	M/S Mercy Enterprises	Baby Weighting Machine	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
58	M/S Mercy Enterprises	Digital Balance (0.1 g-10 g, Gram to kg)	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
59	M/S Mercy Enterprises	Oxygen flow meter	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
60	M/S Mercy Enterprises	AMBU Bag Adult Mask	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
61	M/S Mercy Enterprises	AMBU Bag Mask peads	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
62	M/S Mercy Enterprises	Kidney Tray	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
63	M/S Mercy Enterprises	Dressing Drum	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
64	M/S Mercy Enterprises	Emergency Tray	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
65	M/S Mercy Enterprises	Laryngo-scope	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
66	M/S Mercy Enterprises	Dressing set with trolley	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
67	M/S Mercy Enterprises	Stainless steel box,17x7x3cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
68	M/S Mercy Enterprises	Surgical scissors, straight sharp/blunt,12-14cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
69	M/S Mercy Enterprises	Kocher forceps, noteeth,straight12-14cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
70	M/S Mercy Enterprises	Dissecting forceps, noteeth,12-14cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
71	M/S Mercy Enterprises	Abscess/suture set	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
72	M/S Mercy Enterprises	Stainless steel box,22x10x5cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
73	M/S Mercy Enterprises	Mayo-Hegar Needle holder,18cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
74	M/S Mercy Enterprises	Artery forceps, Halstead, noteeth,curve,12cm	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
75	M/S Mercy Enterprises	Viewer X-Ray Film	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
76	M/S Mercy Enterprises	Thermometer	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
77	M/S Mercy Enterprises	Stethoscope	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
78	M/S Mercy Enterprises	BP Aparatus with stand	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
79	M/S Mercy Enterprises	CPR Dummy (Adult)	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
80	M/S Mercy Enterprises	Human Skeleton	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
81	M/S Mercy Enterprises	Human Heart Models and Circulatory System (Teaching Heart Models)	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
82	M/S Mercy Enterprises	Human Lung Models Respiratory System Cardiopulmonary Models	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
83	M/S Mercy Enterprises	Human Skull Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
84	M/S Mercy Enterprises	Human Brain Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
85	M/S Mercy Enterprises	Digestive System Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
86	M/S Mercy Enterprises	Human Spine Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
87	M/S Mercy Enterprises	Urology Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
88	M/S Mercy Enterprises	Anatomy Set	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
89	M/S Mercy Enterprises	Anatomy Chart	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
90	M/S Mercy Enterprises	Plastic body (Torso) - Large size	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
91	M/S Mercy Enterprises	Eye Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive
92	M/S Mercy Enterprises	Ear Model	Marks will be awarded after sample evaluation			0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	30	Responsive

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	40	30	20	0	Mandatory	10	Mandatory	Mandatory	2	6	Mandatory	2	2	4	Mandatory	4	TOTAL OBTAIN MARKS	REMARKS
93	M/S Mercy Enterprises	Female Pelvis	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
94	M/S Mercy Enterprises	Male Perivis	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
95	M/S Mercy Enterprises	Knee Joint	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
96	M/S Mercy Enterprises	Ankle Joint	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
97	M/S Mercy Enterprises	Elbow joint	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
98	M/S Mercy Enterprises	Wrist joint	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
99	M/S Mercy Enterprises	Manikin	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
100	M/S Mercy Enterprises	Upper & lower limb Muscular	Marks will be awarded after sample evaluation	0	Yes	10	Yes	Yes	2	6	Yes	2	2	4	Yes	4	4	40	Responsive	
M/S IBS Pharmaceuticals																				
101	M/S IBS Pharmaceuticals	Automatic pipette 10 ul fixed	Marks will be awarded after sample evaluation	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	4	40	Responsive	
102	M/S IBS Pharmaceuticals	Automatic pipette 100 ul fixed	Marks will be awarded after sample evaluation	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	4	40	Responsive	
103	M/S IBS Pharmaceuticals	Automatic pipette 200 and 1000 ul fixed	Marks will be awarded after sample evaluation	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	4	40	Responsive	
104	M/S IBS Pharmaceuticals	Adjustable pipette 10 ul to 1000 ul	Marks will be awarded after sample evaluation	0	Yes	0	Yes	Yes	1	6	Yes	2	2	4	Yes	4	4	40	Responsive	
Note: Errors and omissions are accepted																				

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS	
			<p>Fully compliance with the required specifications as per Statement of Requirement. Minor deviations may be accommodated up to 3, subject to the condition that main function and performance in any aspect would not be affected. More than 3 minor deviations will be considered as major deviation and the bidder will be considered as non-responsive for the quoted item. (One mark for each deviation will be deducted).</p> <p>Certificate of US Food and Drug Administration (USFDA) / CE/MDR certificate for the quoted product / JIS/MLW for the quoted product / Note: <u>One certificate is mandatory, having no marks will be awarded for the bidder. Certificates will get 1 mark, each up to maximum of 100.</u></p> <p>Valid ISO 13485 Certificate of manufacturing plant from PNAC / IAF accredited body</p> <p>Valid ISO 45001 Occupational Health & Safety Certificate of manufacturing plant from PNAC / IAF accredited body</p> <p>Valid ISO 9001 Quality Management Certificate of manufacture from PNAC / IAF accredited body</p> <p>Warranty Period of three years both with spare parts and services</p> <p>The bidder will have to give valid proof of being manufacturer / Authorized distributor of manufacture.</p> <p>Graduate Engineer with PEC Registration in electrical / electronics / instrumentation / mechanical / mechatronics / industrial DME registration card of the engineer must be submitted. (1 mark for each certificate)</p> <p>Diploma of Associate Engineer (DAE) in electrical / electronics / instrumentation / mechanical / mechatronics / industrial. PEC registration card of the engineer must be submitted. (1 mark for each certificate)</p> <p>Availability of office/workshop in Khyber Pakhtunkhwa to be verified with Ownership / Rent Agreement with Owner/ Rent Agreement with Company Name</p> <p>List of related tools available at workshop. Details shall be submitted with technical bid.</p> <p>List of Testing and Calibration tools for the quoted items. Details shall be submitted with technical bid.</p> <p>Detail of Spare parts availability at workshop for the quoted items. Details shall be submitted with technical bid.</p> <p>Last 3 years Audited Financial Statements Turnover 40 million or above 4 markspoints. Turnover less than 40 and above 20 million will be awarded 3 markspoints. Turnover below 20 million will be awarded 1 markspoint.</p> <p>Note: Annual tax returns of last three financial years must be attached. Otherwise, no marks shall be awarded.</p> <p>Valid ISO 9001 Quality Management Certificate of the firm/bidder from PNAC accredited bodies</p> <p>Firm/bidder registration at relevant forum (GEC/Registrar of Firm/ Bidder / FBR)</p>																				

S.No	Bidder	Item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS
------	--------	-----------	----	---	---	---	---	---	----	-----------	-----------	---	---	-----------	---	---	---	---	-----------	---	--------------------	---------

M/S Mediawest

1	M/S Mediawest	Binocular Microscope with camera and LED Screen for teaching purpose	20	0	0	0	0	0	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
---	---------------	--	----	---	---	---	---	---	---	---	---	-----	-----	---	---	-----	---	---	---	---	-----	---	---	------------

M/S Noor International

2	M/S Noor International	Vital Sign Monitor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Non Responsive 1) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products
---	------------------------	--------------------	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	--

M/S Medi Health Enterprises

3	M/S Medi Health Enterprises	Pulse Oximeter	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
4	M/S Medi Health Enterprises	Surgical Table, attachments	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
5	M/S Medi Health Enterprises	Suction apparatus or Suction Machine	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
6	M/S Medi Health Enterprises	ETT Machine	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
7	M/S Medi Health Enterprises	ECG Machine	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
8	M/S Medi Health Enterprises	Capnography	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
9	M/S Medi Health Enterprises	Baby Weight Scale	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
10	M/S Medi Health Enterprises	Vital sign monitor	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
11	M/S Medi Health Enterprises	Cardiac Monitor	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted
12	M/S Medi Health Enterprises	Holter Monitor	0	0	0	0	0	0	0	0	No	No	0	0	Yes	0	0	0	0	0	0	0	0	0	Non Responsive 1)Warranty for the quoted products not submitted 2) None of the Mandatory Certificates i.e. USFDA, CE, JIS/MLW not submitted for the quoted products 3) Evidence of Bid Security in the Technical Quotation not submitted

M/S Noor International

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS
13	M/S Noor International	Vital Sign Monitor	0	0	0	0	0	0	0	Yes	Yes	0	0	Yes	0	0	0	0	Yes	0	0	Non Responsive 1) None of the Mandatory Certificates i.e. USFDA, CE, IIS/MLW submitted for the quoted product 2) Evidence of Bid Security in the Technical Quotation not submitted 3) The quoted item is not dedicated Vital Sign Monitor
M/S Alam Medix																						
14	M/S Alam Medix	Pulse Oximeter	20	0	0	0	0	0	0	Yes	No	2	6	Yes	2	3	3	4	Yes	3	0	Non Responsive: Authorization not Available
15	M/S Alam Medix	Vital Sign Monitor	0	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Non Responsive: Item quoted not dedicated
16	M/S Alam Medix	Suction apparatus or Suction Machine	20	0	0	3	3	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
17	M/S Alam Medix	ECG Machine	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
18	M/S Alam Medix	Ultrasound Machine With 3Nos of Probes and UPS	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
19	M/S Alam Medix	Electrical Surgical unit	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
20	M/S Alam Medix	Emergency trolley/ crash cart/ crsh trolley	20	0	0	3	3	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
21	M/S Alam Medix	Cardiac Monitor	20	0	3	3	0	3	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
22	M/S Alam Medix	Nebulizer Machine	20	0	0	3	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
23	M/S Alam Medix	Hot Air Oven	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
24	M/S Alam Medix	Lab Incubator	20	0	0	3	0	3	4	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
M/S Ideal Business Products																						
25	M/S Ideal Business Products	Pulse Oximeter	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
26	M/S Ideal Business Products	Vital Sign Monitor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	Non Responsive. Quoted item is not Dedicated
27	M/S Ideal Business Products	Suction apparatus or Suction Machine	20	0	0	3	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
28	M/S Ideal Business Products	Defibrillator with AED mode	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
29	M/S Ideal Business Products	Ultrasound Machine With 3Nos of Probes and UPS	20	0	3	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
30	M/S Ideal Business Products	High Pressure Autoclave(TableType)	20	0	0	0	0	0	5	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
31	M/S Ideal Business Products	Electrical Surgical unit	20	0	0	0	0	0	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
32	M/S Ideal Business Products	Centrifuge	20	0	0	3	0	3	0	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
33	M/S Ideal Business Products	Auto Clave	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
M/S Shirazi Trading																						
34	M/S Shirazi Trading	ETT Machine	20	0	6	3	3	0	3	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
35	M/S Shirazi Trading	Defibrillator with AED mode	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
M/S Mercy Enterprises																						
36	M/S Mercy Enterprises	Pulse Oximeter	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
37	M/S Mercy Enterprises	Capnography	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
38	M/S Mercy Enterprises	Vital Sign Monitor	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
39	M/S Mercy Enterprises	Glucometers	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
40	M/S Mercy Enterprises	ECG Machine	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
41	M/S Mercy Enterprises	ETT Machine	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
42	M/S Mercy Enterprises	Defibrillator with AED mode	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
43	M/S Mercy Enterprises	Hoher Monitor	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
44	M/S Mercy Enterprises	Ultrasound Machine With 3Nos of Probes and UPS	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
45	M/S Mercy Enterprises	Surgical Table with different attachments	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
46	M/S Mercy Enterprises	Electrical Surgical unit	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
47	M/S Mercy Enterprises	Proctoscopy	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
48	M/S Mercy Enterprises	Cardiac Monitor	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
49	M/S Mercy Enterprises	Nebulizer machine	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
50	M/S Mercy Enterprises	Centrifuge	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
51	M/S Mercy Enterprises	Hot Air Oven	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
52	M/S Mercy Enterprises	Lab Incubator	20	0	0	3	0	3	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Responsive
53	M/S Mercy Enterprises	Auto Clave	20	0	0	0	0	0	10	Yes	Yes	2	6	Yes	2	3	3	4	Yes	3	0	Not Responsive Authorization of the quoted item not available
M/S Media Enterprises																						
54	M/S Media Enterprises	Pulse Oximeter	20	0	6	3	0	3	5	Yes	Yes	2	6	Yes	2	3	3		Yes	3	0	Responsive
55	M/S Media Enterprises	Suction apparatus or Suction Machine	20	0	0	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3		Yes	3	0	Responsive
56	M/S Media Enterprises	ECG Machine	20	0	3	0	0	3	5	Yes	Yes	2	6	Yes	2	3	3		Yes	3	0	Responsive
57	M/S Media Enterprises	Defibrillator with AED mode	20	0	0	3	3	3	0	Yes	Yes	2	6	Yes	2	3	3		Yes	3	0	Responsive
58	M/S Media Enterprises	Ultrasound Machine With 3Nos of Probes and UPS	20	0	3	3	0	3	2	Yes	Yes	2	6	Yes	2	3	3		Yes	3	0	Non Responsive - Authorization not available
59	M/S Media Enterprises	Surgical Table with different attachments	20	0	0	3	3	0	0	No	Yes	0	0	Yes	0	0	0		Yes	3	0	Responsive
M/S IBS Pharmaceuticals																						
60	M/S IBS Pharmaceuticals	Pulse Oximeter	20	0	0	3	3	0	9	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Responsive
61	M/S IBS Pharmaceuticals	High Pressure Autoclave(TableType)	20	0	0	3	0	3	2	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Non Responsive: Quoted Capacity less than required
62	M/S IBS Pharmaceuticals	Cardiac Monitor	20	0	0	3	3	0	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Responsive
63	M/S IBS Pharmaceuticals	Surgical Diathermy multipurpose	20	0	0	3	3	0	6	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Responsive
64	M/S IBS Pharmaceuticals	Centrifuge	20	0	0	0	0	0	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Non Responsive: Valid Authorization for the quoted product not available
65	M/S IBS Pharmaceuticals	Hot Air Oven	20	0	0	3	0	3	5	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Responsive
66	M/S IBS Pharmaceuticals	Lab Incubator	20	0	0	3	0	3	0	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	0	Responsive

TECHNICAL EVALUATION REPORT OF MEDICAL LAB EQUIPMENTS, TEACHING AIDS (SAMPLE BASED)

S.No	Bidder	Item Name	20	2	6	3	3	3	10	Mandatory	Mandatory	2	6	Mandatory	2	3	3	4	Mandatory	3	TOTAL OBTAIN MARKS	REMARKS
67	M/S IBS Pharmaceuticals	Digital Balance(0.1 g-10 g, Gram to kg)	20			3	3	3		Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	24	Non Responsive 1) None of the Mandatory Certificates i.e. USFDA, CE, IIS/MHLW submitted for the quoted product
68	M/S IBS Pharmaceuticals	Binocular Microscope with camera and LED Screen for teaching purpose	20	0	0	3	3	3	2	Yes	Yes	1	6	Yes	2	3	3	4	Yes	3	24	Responsive

Note: Errors and omissions are accepted